
Kallova

karlovadesign.com

BOMERANG



Materials:

For body and bottom 3-4 oz medium to firm temper. Straps 5-6 oz. Boomerang 6-8 oz firm.

Hardware:

2 x 1" buckles 3/8" grommets (size may vary slightly but you have to adjust the holes) 2 x 1" D-rings 1 x 5" zipper 1 x button stud Rivets

Tools:

Scissors, knife (paper knife or rotary cutter would also work).

Stitching irons: my pattern is made for 5mm stitching irons (5 stitches per inch). If you are willing to use any other size please make sure that the hole count is the same where it has to be the same: the pocket seams, the vertical seams, the bottom and both front and back panels.

Needles - according to your thread size, a pair of saddle needles.

Mallet, grommet setter, rivet setter, hole puncher.

Instructions:

Print the pattern at actual size (100%). Use the reference on top of each page to make sure everything is printed correctly. Join the pages together. Cut the pieces.

Sew the zipper in the zipper frame. I like to glue it before sewing to make sure it is well aligned.

Assemble the D-ring holders with the grommets. If there were grommets with longer posts it would be possible to join these holes with those on the back panel but that would be 3 layers of leather and I don't have the grommets that could handle this thickness. If you find some, it's a better option to make it this way. Don't forget to insert D-rings beforehand, some grommets are a pain to uninstall (ask me how do I know that LOL).

Sew the pocket panel on the back panel. Insert the handle into the small seam on top.


Rivet the buckle holders on the bottom. Your strap keepers' length may vary depending on the thickness of your leather.


Assemble the backpack. It is all assembled with overlappind seams, front and back panel being on top of the bottom in the seam, in the side seams front panel on top of the back panel. Buckle holders and the boomerang are sewn into that same seam on the bottom (buckle holders in between the layers, and boomerang on top). Sew the flap onto the back panel. Install the straps. Make the drawstring stopper, insert the drawstring :)

I hope you will love your new Boomerang backpack. Good luck!


Any questions or comments, e-mail me: lissius@gmail.com.


Join our Karlova Leatherwork Patterns Group on Facebook! www.facebook.com/groups/karlovadesign







0cm 1cm 2cm	3cm 4cm 5cm	B-1 100 200 200 400 400	in 2in 2in	3in
· · · ·	FRONT PANE			
· · · ·				
· DRAWSTRING · STOPPER ·		. STR/	AP KEEPER X2	









3in

2in

TEST PAGE

Make sure everything is the right scale and you can see the black border around this page on all sides.

The designs, instructions and patterns are only intended for personal use by sewing hobbyists. All industrial use is prohibited. The materials, including the photographs, drawings, instructions, articles and patterns, are protected by copyright laws and the right of reproducing them by any means or in any form is exclusively reserved for the copyright holder. The copying of the material onto a device that can be used for duplicating it is also regarded as reproduction. Copyright © Marina Karlova. All rights reserved.

You can sell the items you create using this pattern but I would kindly ask you to buy the pattern again for every 10 items you sell, this is a way for me to get my royalties.

NOTICE FOR RUSSIAN SPEAKING CRAFTERS

Мы с вами коллеги, поэтому давайте уважать друг друга. Пожалуйста, не нужно заниматься пиратством. Выкройки стоят не так уж дорого, и благодаря их продажам мы, дизайнеры, можем кушать, оплачивать счета и продолжать создавать для вас новые дизайны. Если эта выкройка попала к вам откуда-то еще, кроме как из моего магазина, пожалуйста, свяжитесь со мной и поделитесь информацией о том, где и как она распространяется.

- 2in

- ≌

- 0cm

-1cm

2cm

- 30m

-4cm

_ <u>5</u>